



PROTOCOL

Open Access



School-going transgender youths' experiences at health care facilities: a systematic scoping review protocol

Delarise M. Mulqueeny^{1,2*} , Senzelokuhle M. Nkabini² and Tivani P. Mashamba-Thompson¹ 

Abstract

Background: Globally, miniscule improvements have been implemented regarding equality, inclusion, access, and protection of people with diverse gender identities whilst accessing health care facilities of which transgender youth form part. Literature has highlighted that the care transgender youth receive at health care facilities can result in positive or negative outcomes. School-going transgender youth constitute a unique group whose experiences at health care facilities warrant ongoing research. Hence, the objective of this scoping review is to systematically map evidence of school-going transgender youths' experiences at health care facilities regarding service delivery, support, and policies and to identify literature gaps that could inform future research.

Methods: We will conduct a scoping review, using peer-reviewed journal articles that present literature on school-going transgender youths' experiences at health care facilities. Searches for relevant articles will be conducted on the following databases: PubMed, Cochrane Library, Campbell collaboration, Scopus, Embase, and MEDLINE. Additional searches will be conducted on institutional websites or web-based search portals. Two reviewers will independently extract data from all relevant search engines incorporating the study objective, research questions, and eligibility criteria. The inclusion criteria include published full-text qualitative, quantitative, and mixed-method studies that address the topic with no language and publication year limitations to reflect a comprehensive range of literature that includes the implementation of the SDGs. All literature that does not meet the inclusion criteria will be excluded. The quality of included studies will be appraised using the mixed methods appraisal tool (MMAT) – version 2018.

Discussion: We anticipate mapping the experiences of school-going transgender youth at health care facilities. Once summarized, the data could be useful to clinical educators, health workers, policy makers, and guide future research to ensure that the human and patients' rights of transgender youth, are globally acknowledged, protected, and respected within health care facilities.

Keywords: School-going, Transgender, Youth, Experiences, Health care facilities

* Correspondence: mulqueenyd@ukzn.ac.za

¹Discipline of Public Health Medicine, School of Nursing and Public Health, University of KwaZulu-Natal, Pinetown, South Africa

²Department of Social Science, Gender and Education, School of Education, University of KwaZulu-Natal, Room 01-032, 121 Marianhill Rd, Pinetown 3605, South Africa



© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Background

Globally, miniscule improvements have been implemented regarding equality, inclusion, access, and protection of people with diverse gender identities in health care facilities of which school-going transgender youth form part [1–3]. School-going transgender youth refers to individuals attending educational institutions whilst transitioning between childhood and adulthood with their gender identity or expression not matching the sex, they were assigned at birth nor conforming to cisgender norms [4–8]. Many transgender youth, experience non-acceptance and misunderstanding from members of various societies including the medical fraternity while they navigate the complexities and challenges of transitioning between childhood and adulthood [9, 10].

Additionally, members of the transgender population experience and are exposed to a myriad of health challenges and risks such as substance abuse, mental illness, suicide, high mortality, and are at an increased risk of human immunodeficiency virus (HIV) infections [11–13]. They also experience many barriers to patient-centered care when accessing information, treatment, and care at health facilities [14]. These include a lack of gender-affirming policies, the non-execution of gender-affirming practices, health services being conducted according to heteronormative and cis-normative health care frameworks, and the medical curricula excluding the needs of transgender people [15–17]. Additional barriers are few or non-existent gender-affirming medical practitioners and facilities, gender and culturally incompetent health workers having inadequate knowledge to provide gender-affirming service delivery and a lack of or inadequate access to care and medical insurance [18–20]. These barriers can result in transgender individuals having adverse experiences of health care at health facilities [21].

In response to the HIV epidemic, the World Health Organisation (WHO), commissioned a review to identify the most vulnerable populations who are at a high risk of HIV infection [22]. Five (5) key populations (KPs) were identified which include people in prisons, sex workers, people who inject drugs, men who have sex with men, and transgender people [23]. The latter is due to higher-risk behaviors in these populations with 96% of KPs contributing to new HIV infections in Europe, Asia, and Africa [24]. In addition, 90% of new HIV infections in Northern America, Pacific, and Caribbean region (Australia, New Zealand, and surrounding islands) (84%), and Southern America (77%) are attributed to KPs being subordinated or uncomfortable or unable to access health care facilities [24]. Moreover, in response to service delivery, the LGBTQ youth report of 2018 estimated that only 12% of youth who identify as transgender, reported receiving relevant information

pertaining to safe sex at health care facilities [3]. Thus, demonstrating a challenge experienced by transgender youth who require relevant information but health care service providers being unable to adequately service their requirements and needs.

The United Nations (UN) general assembly adopted 17 sustainable development goals (SDGs) in 2015 which were initiated in 2016 [25]. These SDGs allow for the inclusion of all members of society through the endorsement of the “leave no one behind” policy which forms part of the 2030 agenda [25]. The SDG 3: Good health and well-being is especially relevant to this review as it addresses universal health coverage for all citizens including people who identify as lesbian, gay, bisexual, transgender, and intersex (LGBTI) [26]. Additionally, this goal addresses the aim to end AIDS and other non and communicable diseases including discrimination and stigma thereby ensuring their health and well-being within countries and health systems [27]. Hence, any inadequate health service delivery or exclusionary practices leveled at transgender individuals deems this goal unaccomplished. Moreover, evidence exists on the global acknowledgement of the SDGs and humanitarian organisations advocacy for the abolishment of violence, transphobia, and other forms of discrimination leveled against transgender people [28, 29].

Our literature searches of the Cochrane database of systematic reviews, Pubmed, and CINHAHL, revealed that several primary studies and systematic and scoping reviews have been conducted on transgender youth in relation to various aspects of health care [30–33]. However, to the best of our knowledge, the last scoping review conducted on transgender youths’ experiences of health and social care was conducted between 2006 and 2016 [34]. This is while many transgender youth still experience extreme human rights violations, gender-based violence and transphobia and are often refused medical care due to their gender identity [35, 36]. Such adverse experiences have social, educational, health, psychological, and societal implications which not only impacts the individual but also their families, societies, and health systems globally [37]. Hence, a scoping review addressing school-going transgender youths’ experiences at health care facilities between January 2015 and February 2020 is relevant as it will include current practice running concurrently with the implementation of the SDGs. It will be beneficial to clinicians, clinical educators, health workers, health departments for service delivery, policies, and practice.

Objective

To systematically map evidence of school-going transgender youths’ experiences at health care facilities regarding service delivery, support and policies and to

identify literature gaps that could inform future research.

Methods

To effectively map a broad range of information on school-going transgender youths’ experiences at health care facilities, a scoping review was selected. This knowledge synthesis method will employ a phenomenological stance to systematically and rigorously map published literature and identify information gaps on the topic from qualitative, quantitative, and mixed-methods studies [34]. The use of these sources of evidence has previously been used in other scoping reviews relating to “experiences” [34, 38, 39]. The scoping review protocol has not been registered a priori and is guided by Arksey and O’Malley’s five stage scoping review framework, later supplemented by Levac et al. as well as the 2015 Joanna Briggs Institute’s guidelines [40–42]. The five stages highlighted by the framework are (i) identifying the research question, (ii) identifying relevant studies, (iii) selection of eligible studies, (iv) charting the data, and (v) collating, summarizing, and reporting the results. The Preferred Reporting Items for Systematic Reviews and Meta-Analysis: Extension for Scoping Review guidelines (PRISMA-ScR) will provide guidance to ensure this protocol and the review addresses all the steps required [43]. The Preferred Reporting Items for Systematic review and Meta-Analysis Protocols (PRISMA-P) 2015 checklist (Additional file 1) will summarise and present the results [44, 45].

Identifying the research question

As this review explores school-going transgender youth’s experiences rather than their proxies, caregivers, or health workers only their experiences in their words will be included. Hence, the main research question is as follows:

What is known about school-going transgender youths’ experiences at health care facilities?

The secondary research questions are as follows:

- What is known about the factors (service delivery, support, and policies) that contribute to school-going transgender youths’ experiences at health care facilities?
- What is known about the consequences of school-going transgender youths’ experiences at health care facilities?

Eligibility of the research question

A PCC (population, context, concept) framework (Table 1) will adequately address the eligibility of the research question [42].

Identifying relevant studies

Searches will be conducted for evidence published in peer-reviewed journals from the following databases and libraries: PubMed, Cochrane Library, Campbell collaboration, Scopus, Embase, and MEDLINE to attain a wide range of relevant articles and literature. Additional searches will be conducted in the following databases: EBSCOhost, Google Scholar, WHO, UNFPA, UNICEF, UNAIDS, UNESCO, UNDP, UNODC, USAID, PEPFAR, and IRGT. The search strategy will be informed by key terms including: “school-going”, “transgender youth”, “experiences”, and “health care facilities”. The search strategy will be guided by a public health librarian. Studies written in all languages with no publication date restriction will be selected to reflect older and current practices. This is to attain a comprehensive literature range that also includes the impact of the SDGs on school-going transgender youths’ experiences at health care facilities. A hand search of included articles reference lists will be conducted by a research assistant to obtain additional literature. Corresponding authors will be contacted by the research assistant to attain inaccessible articles. To test the selected keywords and databases and reduce and eliminate any bias, two pilot searches were conducted by two (DMM, SMN) screeners. The results thereof are presented in Table 2.

Table 1 PCC (population, context, concept) framework

Criteria	Determinants
Population	<p>School-going transgender youth School-going refers to individuals that are children, adolescents, and youth that attend an institution for basic education [4]. Transgender refers to individuals whose gender identity or expression does not match the sex they were assigned at birth [5]. Youth refers to the phase between childhood and adulthood [6].</p>
Concept	<p>Experiences in this review, utilizes The Beryl Institute’s definition of “patient experiences” and includes “the sum of all interactions, shaped by an organization’s culture, that influence patients’ perceptions, across the continuum of care” [7].</p>
Context	<p>Health care facilities refer to institutions that provide care or improvement of health through prevention, diagnosis and treatment of disease, illness, injury, and other physical and mental impairments affecting people [8].</p>
Publication Year Range:	Language: All
None	

Table 2 Pilot database search results

Keywords	Date of search	Name of search engine	Number of publications
("transgender persons"[MeSH Terms] OR ("transgender"[All Fields] AND "persons"[All Fields]) OR "transgender persons"[All Fields] OR "transgender"[All Fields]) AND Experiences[All Fields] AND ("health facilities"[MeSH Terms] OR ("health"[All Fields] AND "facilities"[All Fields]) OR "health facilities"[All Fields] OR ("health"[All Fields] AND "care"[All Fields] AND "facilities"[All Fields]) OR "health care facilities"[All Fields])	22/02/2020	PubMed	26
"School-going"	22/02/2020	Cochran Library	126
"School and transgender persons"			16
"Transgender"			246
"Transgender Youth"			20
"Transgender experiences"			18
"Transgender health-care facilities"			2
			Total: 428

Study selection

The selection of eligible studies will be based on the title, abstract, content relating to school-going transgender youths' experiences at health care facilities, the research question, and inclusion and exclusion criterion. An Endnote X9.2 library will be exclusively utilized to upload relevant literature for this scoping review. All duplicate studies will be deleted prior to the screening process commencing. Comprehensive title and abstract screening will be independently conducted in parallel by the primary author (DMM) and co-screener (SMN). All disagreements at this stage will be resolved through discussion and a third screener (TMT). Thereafter, full article screening will also be independently conducted by two screeners (DMM, TMT) with a third reviewer (SMN) resolving discrepancies during this stage. Excluded sources of evidence, due to them not meeting the inclusion criteria, will be documented in an additional file with the rationale for their exclusion. This is to assist with reproducing this study.

Inclusion and exclusion criteria


Included studies will meet the following criteria: (i) focus on school-going transgender youths' experiences at health care facilities, (ii) be full-text qualitative, quantitative, and mixed-method studies (iii) have no language or publication year range restrictions. Studies that do not focus on school-going transgender youths' experiences at health care facilities and are not available in full-text will be excluded. Commentaries, observational studies, white papers, editorials, opinion pieces, and unpublished thesis that do not contain quotes from school-going transgender youth will also be excluded. The PRISMA ScR flow chart captures and presents our planned screening and selection process (Fig. 1).

Charting the data

Two screeners (DMM, SMN) developed a data extraction form (Table 3) in a Google form which will be piloted by (DMM, TMT). For the actual review, extracted data from included sources of evidence will be independently charted and transferred to the form by two screeners (DMM, SMN) while another screener (TMT) will independently confirm appropriateness for their inclusion. As this is an iterative process, all the screeners will meet after charting 10 articles to review the process and ensure that all the variables meet the requirements of the review. The PRISMA ScR will constantly be updated by the research assistant.

Collating, summarizing, and reporting the results

As this scoping review includes various study designs, this process comprises of three stages (a) descriptive, thematic, and quantitative analysis (b) reporting the results, and (c) identifying literature gaps for future research. The qualitative analysis will contain quotations and be conducted by all three screeners incorporating Braun and Clarke's thematic framework and the use of the NVivo data analysis software [46]. The quantitative analysis and graphical illustrations will be independently conducted by two screeners (DMM, SMN) utilizing the Microsoft Excel program. The themes from the extracted data will be examined in relation to, the objective of the study which is to map evidence of school-going transgender youths' experiences at health care facilities, the validity of the research question and the suggestions from the findings for future research. Daily reflexive meetings and consensus discussions will eliminate any bias, and discrepancies will be resolved by consensus between the primary author and other screeners throughout the process [47].



Quality assessment

The mixed methods appraisal tool (MMAT) – version 2018 will be used to assess the quality of included evidence to ensure that the study objective is rigorously presented and to eliminate any risk of bias [48]. Quality and elimination of partiality will be achieved by examining author names and date, title, aim of study, study design, study setting, study population, population age and

grade, concept, significant findings, key conclusions and notes. The MMAT guidelines (100% high average, 75% above average, 50% average, 25% low quality) will be used to rate included articles. The quality of all included articles will be presented in a table, so readers know how to approach the various articles.

Table 3 Data extraction form

1. Authors names and date
2. Study title
3. Study aim
4. Study design
5. Study setting
6. Study population
- Age
- Grade
7. Population quotations
8. Health conditions
9. Type of encounter (chronic or acute)
10. Significant findings
11. Conclusions
12. Notes

Discussion

The proposed scoping review will generate findings that identify and describe the experiences of school-going transgender youth while accessing services at health care facilities and identify knowledge gaps. As a scoping review methodology with a phenomenological slant is embraced, cognizance must be taken of the limitations, and strengths of adopting an interpretive epistemological stand [34, 49]. The strengths of the review are its unique synthesis of school-going youths’ experiences from direct quotations and that the results can be transferable in a broad context as eligible studies are not limited by geographical location nor health encounter. Additionally, the iterative and explorative nature of the review strengthens its rigor [50]. The experiences of the population under review are relevant as the United Nations 2019 estimates revealed that youth account for approximately 16% of the global community [51]. The review will present balanced data as it will contain literature

relating to their successful and challenging experiences which have frequently been silenced when assessing health care outcomes. Moreover, it facilitates the importance of patient-centered care through the acknowledgement of patients' experiences which could highlight strategies to improve health systems, facilities, education, and service delivery to this key population [52]. The findings can also make a valuable contribution to ensuring that the human and patients' rights of transgender youth are acknowledged, respected, and protected within health care facilities. Additionally, this review focusses on an area that is relevant and beneficial to transgender patients, policy makers, clinicians, health educators, and health care workers. Humanitarian organizations as well as funders could find the results helpful to fund evidence-based interventions aimed at promoting patient-centered care and eliminating transphobia within health care settings.

The outcomes of this scoping review will be published in peer-reviewed journals and presented at international conferences, seminars, and symposiums. The presentation of the findings will assist in addressing the role of governments, community-based organizations, health education, policies and awareness campaigns pertaining to gender identity, transphobia, patient-centered care, and discrimination on a global scale.

Limitations

A scoping review with no language or time limitations could present financial and time challenges that require stringent timelines and monitoring.

Supplementary information

Supplementary information accompanies this paper at <https://doi.org/10.1186/s13643-020-01347-0>.

Additional file 1. PRISMA-P 2015 Checklist.

Abbreviations

HIV: Human immunodeficiency virus; IRGT: A global network of trans women and HIV; KP: Key populations; LGBTI: Lesbian, gay, bisexual, transgender, intersex; LGBTQ: Lesbian, gay, bisexual, transgender, queer; PEPFAR: The United States President's Emergency Plan for Aids Relief; PRISMA: Preferred Reporting Items for Systematic and Meta-Analyses; PRISMA-P: Preferred Reporting Items for Systematic review and Meta-Analyses Protocols; PRISMA-ScR: Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews; SDG: Sustainable development goals; UNAIDS: The Joint United Nations Programme on HIV/AIDS; UNESCO: United Nations Educational Scientific Cultural Organization; UNDP: United Nations Development Plan; UNODC: United Nations Office on Drugs and Crime; USAID: United States Agency for International Development; WHO: World Health Organisation

Acknowledgements

The authors express their gratitude to the School of Nursing and Public Health and the College of Education, University of KwaZulu-Natal and the South African Research Chairs Initiative of the Department of Science and Technology, and National Research Foundation of South Africa for their support of this study. Additionally, Mr Mukesh Kemrajh, Senior Librarian,

Edminson library, Edgewood Campus, UKZN is acknowledged for his assistance with keywords and database searches.

Authors' contributions

The scoping review protocol was conceptualized by DMM and developed by DMM and SMN. DMM and SMN drafted the protocol and TMT contributed to revisions. The actual scoping review will be a collaborative effort of three screeners and a research assistant. The author(s) read and approved the final manuscript.

Authors' information

Delarise M. Mulqueeny is an Honorary Lecturer in the Discipline of Public Health Medicine, School of Nursing and Public Health and a Postdoctoral Fellow in the Department of Social Science, Gender and Education, School of Education, University of KwaZulu-Natal. Senzelokuhle M. Nkabinani is a PhD candidate in the Department of Social Science, Gender and Education School of Education, University of KwaZulu-Natal. Tivani P. Mashamba-Thomson is an Honorary Professor in the Discipline of Public Health Medicine, School of Nursing and Public Health, UKZN.

Funding

Not applicable.

Availability of data and materials

All data generated or analyzed during this study will be included in the published scoping review article and will be available upon request.

Ethics approval and consent to participate

Not applicable. This scoping review will not consist of human participants.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Received: 31 July 2019 Accepted: 1 April 2020

Published online: 24 April 2020

References

- Mendos LR. International, lesbian, gay, bisexual, trans and intersex association: state sponsored homophobia; [Internet] 2019. Available from: <https://ilga.org/state-sponsored-homophobia-report>.
- UNAIDS report. Youth and HIV: mainstreaming a three-lens approach to youth participation. 2018. Available from: https://www.unaids.org/sites/default/files/media_asset/youth-and-hiv_en.pdf.
- LGBTQ youth report. 2018. Available from: <https://assets2.hrc.org/files/assets/resources/2018-YouthReport-NoVid.pdf>.
- Joseph CH, Anikelechi IG, Marumo P. Academic motivation of school going adolescents: gender and age difference. *Gender Behav.* 2019;17(1):12306–15.
- Rider GN, McMorris BJ, Gower AL, Coleman E, Eisenberg ME. Health and care utilization of transgender and gender non-conforming youth: a population-based study. *Pediatrics.* 2018;141(3):e20171683. <https://doi.org/10.1542/peds.2017-1683>.
- WHO. World health statistics 2018: monitoring health for the SDGs. 2018. Available from: <https://apps.who.int/iris/bitstream/handle/10665/272596/9789241565585-eng.pdf?ua=1>.
- The Beryl Institute Website. 2020. Defining patient experience. Available from: <http://www.theberylinstitute.org/?page=DefiningPatientExp>. Accessed 2 Mar 2020.
- Cele NH, Sibiyani MN, Sokhela DG. Experiences of homosexual patients access to primary health care services in Umlazi, KwaZulu-Natal. *Curationis.* 2015; 38(2):1–9.
- Rodriguez A, Agardh A, Asamoah BO. Self-reported discrimination in health-care settings based on recognizability as transgender: a cross-sectional study among transgender U.S. citizens. *Arch Sex Behav.* 2018;47:973–85 <https://doi.org/10.1007/s10508-017-1028-z>.
- Edwards-Leeper L, Leibowitz S, Sangganjanavanich VF. Affirmative practice with transgender and gender nonconforming youth: expanding the model.

- Psychol Sex Orient Gender Divers. 2016;3(2):165–72 <https://doi.org/10.1037/sgd0000167>.
11. Luvuno ZPB, Ncama B, Mchunu G. Transgender population's experiences with regard to accessing reproductive health care in Kwazulu-Natal, South Africa: a qualitative study. *Afr J Prm Health Care Fam Med*. 2019;11(1):a1933 <https://doi.org/10.4102/phcfm.v11i1.1933>.
 12. Lee C, Oliffe JL, Kelly MT, Ferlatte O. Depression and suicidality in gay men: implications for health care providers. *Am J Mens Health*. 2017;11(4):910–9 <https://doi.org/10.1177/1557988316685492>.
 13. Kinner SA, Young JT. Understanding and improving the health of people who experience incarceration: an overview and synthesis. *Epidemiol Reviews*. 2018;40(1):4–11 <https://doi.org/10.1093/epirev/mxx018>.
 14. Rowe D, Ng YC, O'Keefe L. Leadership initiatives in patient-centered transgender care. *Fed Pract*. 2017;34(1):8–14 PMID: 30853778; PMCID: PMC6372033.
 15. Roberts TK, Fantz CR. Barriers to quality health care for the transgender population. *Clin Biochem*. 2014;47(10-11):983–7. <https://doi.org/10.1016/j.clinbiochem.2014.02.009>.
 16. Ross KAE, Law MP, Bell A. Exploring healthcare experiences of transgender individuals. *Transgend Health*. 2016;1(1):238–49. <https://doi.org/10.1089/trgh.2016.0021>.
 17. Chan B, Skocylas R, Safer JD. Gaps in transgender medicine content identified among Canadian medical school curricula. *Transgend Health*. 2016;1(1):142–50. <https://doi.org/10.1089/trgh.2016.0010>.
 18. Davies A, Bouman WP, Richards C, et al. Patient satisfaction with gender identity clinic services in the United Kingdom. *Sex Relat Ther*. 2013;28:400–18.
 19. Safer JD, Coleman E, Feldman J, Garofalo R, Hembreed W, Radix A, Sevelius J. Barriers to health care for transgender individuals. *Curr Opin Endocrinol Diabetes Obes*. 2016;23(2):168–71. <https://doi.org/10.1097/MED.000000000000227>.
 20. White Hughto JM, Reisner SL, Pachankis JE. Transgender stigma and health: a critical review of stigma determinants, mechanisms, and interventions. *Soc Sci Med*. 2015;147:222–31. <https://doi.org/10.1016/j.socscimed.2015.11.010>.
 21. Griffin JA, Casanova TN, Eldridge-Smith ED, Stepleman LM. Gender minority stress and health perceptions among transgender individuals in a small metropolitan southeastern region of the United States. *Transgender Health*. 2019;4(1):247–53. <https://doi.org/10.1089/trgh.2019.0028>.
 22. WHO. Serving the needs of key populations: case examples of innovation and good practice in HIV prevention, diagnosis, treatment and care. 2017. Available from: 2017. <https://www.who.int/hiv/pub/populations/key-populations-case-examples/en/>.
 23. Rao A, Schwartz S, Sabin K, et al. HIV-related data among key populations to inform evidence-based responses: protocol of a systematic review. *Syst Rev*. 2018;7:220 <https://doi.org/10.1186/s13643-018-0894-3>.
 24. UNAIDS DATA 2018. 2018. Available from: https://www.unaids.org/sites/default/files/media_asset/unaids-data-2018_en.pdf.
 25. UN. The sustainable development agenda. 2019. Available from: <https://www.un.org/sustainabledevelopment/development-agenda/>.
 26. WHO. Primary health care on the road to universal health coverage 2019. MONITORING REPORT. 2019. Available from: https://www.who.int/healthinfo/universal_health_coverage/report/uhc_report_2019.pdf.
 27. UNAIDS Delivering on SDG3: strengthening and integrating comprehensive HIV responses into sustainable health systems for universal health coverage. COUNTRY SUBMISSIONS. 2019. Available from: https://www.unaids.org/sites/default/files/media_asset/UNAIDS_PCB44_CRP2.pdf.
 28. UNAIDS. UNAIDS calls on countries to remove discriminatory laws and enact laws that protect people from discrimination. 2019. Available from: https://www.unaids.org/en/resources/presscentre/pressreleaseandstatementarchive/2019/may/20190516_IDAHOT.
 29. UNAIDS-AIDS and SDGs. The AIDS response in the 2030 AGENDA for sustainable development: joint work, shared gains. 2016. Available from: https://www.unaids.org/en/AIDS_SDGs.
 30. Luvuno ZP, Mchunu G, Ncama B, Ngidi H, Mashamba-Thompson T. Evidence of interventions for improving healthcare access for lesbian, gay, bisexual and transgender people in South Africa: a scoping review. *Afr J Prm Health Care Fam Med*. 2019;11(1):a1367 <https://doi.org/10.4102/phcfm.v11i1.1367>.
 31. Duke TS. Lesbian, gay, bisexual, and transgender youth with disabilities: a meta-Synthesis. *Journal of LGBT Youth*. 2011;8(1):1–52. <https://doi.org/10.1080/19361653.2011.519181>.
 32. Knudson G, De Sutter P. Fertility options in transgender and gender diverse adolescents. *Acta Obstet Gynecol Scand*. 2017;96:1269–72.
 33. Weinhardt LS, Stevens P, Xie H, Wesp LM, John SA, Apchemengich I, Kioko D, Chavez-Korell S, Cochran KM, Watjen JM, Lambrou NH. *Transgend Health*. 2017;2(1):140–50 <https://doi.org/10.1089/trgh.2017.0020>.
 34. McCann E, Keogh B, Doyle L, Coyne I. The experiences of youth who identify as trans* in relation to health and social care needs: a scoping review. *Youth Soc*. 2017;00(0):1–25 <https://doi.org/10.1177/0044118X17719345>.
 35. Ginley M, Breckenridge J, Mowll J. A scoping review of adult survivors' experiences of shame following sexual abuse in childhood. *Health Soc Care Comm*. 2019;27:1135–46. <https://doi.org/10.1111/hsc.12771>.
 36. Davison G, Kelly MA, Thompson A, Dornan T. Children's and adolescents' experiences of healthcare professionals: scoping review protocol. *Syst Rev*. 2020;9:51 <https://doi.org/10.1186/s13643-020-01298-6>.
 37. Smith DE. Homophobic and transphobic violence against youth: the Jamaican context. *Int J Adolesc Youth*. 2018;23(2):250–8. <https://doi.org/10.1080/02673843.2017.1336106>.
 38. Dubin SN, Nolan IT, Streed CG Jr, Greene RE, Asa E, Radix AE, Morrison SD. Advances in medical education and practice. 2018;9:377–91.
 39. Wilson EC, Chen Y, Arayasirikul S, Raymond HF, McFarland W. The impact of discrimination on the mental health of trans*female youth and the protective effect of parental support. *AIDS Behav*. 2016;20(10):2203–11. <https://doi.org/10.1007/s10461-016-1409-7>.
 40. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol*. 2005;8(1):19–32.
 41. Levac D, Colquhoun H, O'Brien KK. Scoping studies: advancing the methodology. *Implement Sci*. 2010;5(1):69.
 42. Joanna Briggs Institute. Joanna Briggs institute reviewers' manual: 2015 Edition, methodology for JBI scoping reviews. 2015.
 43. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, Moher D, Peters MDJ, Horsley T, Weeks L, Hempel S, Akl EA, Chang C, McGowan J, Stewart L, Hartling L, Aldcroft A, Wilson MG, Garrity C, Lewin S, Godfrey CM, Macdonald MT, Langlois EV, Soares-Weiser K, Moriarty J, Clifford T, Tunçalp Ö, Straus SE. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med*. 2018;169(7):467–73 <https://doi.org/10.7326/M18-0850>.
 44. Moher D, Shamseer L, Clarke M, Ghersi D, Liberati A, Petticrew M, Shekelle P, Stewart LA. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev*. 2015;4(1):1.
 45. Shamseer L, Moher D, Clarke M, Ghersi D, Liberati A, Deceased, Petticrew M, Shekelle P, Stewart LA; the PRISMA-P Group. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: elaboration and explanation. *BMJ* 2015;349:g7647.
 46. Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol*. 2006;3(2):77–101 <https://doi.org/10.1191/1478088706qp0630a>.
 47. Skovdal M, Abebe T. Reflexivity and dialogue: methodological and socio-ethical dilemmas in research with HIV-affected children in East Africa. *Ethics Policy Environ*. 2012;15(1):77–96.
 48. Hong QN, Fàbregues S, Bartlett G, Boardman F, Cargo M, Dagenais P, Gagnon M, Griffiths F, Nicolau B, O'cathain A, Rousseau M, Vedel I, Pluye P. The mixed methods appraisal tool (MMAT) version 2018 for information professionals and researchers. *Educ Inform*. 2018;34(4):285–91.
 49. Neubauer BE, Witkop CT, Varpio L. How phenomenology can help us learn from the experiences of others. *Perspect Med Educ*. 2019;8(2):90–7 <https://doi.org/10.1007/s40037-019-0509-2>.
 50. Sovacool BK, Aksen J, Sorrell S. Promoting novelty, rigor, and style in energy social science: towards codes of practice for appropriate methods and research design. *Ener Res Soc Sci*. 2018;45:12–42 <https://doi.org/10.1016/j.erss.2018.07.007>.
 51. UN. World Youth Report. Youth and the 2030 agenda for sustainable development. 2018. Available from: <https://www.un.org/development/desa/youth/wp-content/uploads/sites/21/2018/12/WorldYouthReport-2030Agenda.pdf>.
 52. Bokhour BG, Fix GM, Mueller NM, Barker AM, Lavela SL, Hill JN, Solomon JL, VanDeusen Lukas C. How can healthcare organizations implement patient-centered care? Examining a large-scale cultural transformation. *BMC Health Serv Res*. 2018;18:168 <https://doi.org/10.1186/s12913-018-2949-5>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.